



DUXR.E131600 Communications-circuit Accessories

[Page Bottom](#)

Communications-circuit Accessories

[See General Information for Communications-circuit Accessories](#)

ORTRONICS INC

E131600

125 EUGENE O'NEILL DR
NEW LONDON, CT 06320 USA

106 duplex type faceplates, Model(s) 40300255-XX (a), 40300256-XX (a)

106 duplex type receptacles, Model(s) 62850001-XX (a), 62850003-XX (a), 62850005-XX (a), 62850007-XX (a), 62850009-XX (a), 62850010-XX (a), 62850013-XX (a), 62850017-XX (a), 62850019-XX (a), 62850021-XX (a), 62850023-XX (a), 63650001-XX (a), 63650003-XX (a), 63650005-XX (a), 63650007-XX (a), 63650009-XX (a), 63650010-XX (a), 63650013-XX (a), 63650017-XX (a), 63650019-XX (a), 63650021-XX (a), 63650023-XX (a)

110 clarity blocks, Model(s) 110ABC6050, 110ABC6100, 110ABC6300, 110DBC6050, 110DBC6100, 110DBC6300, 30200078, 30200179, 30200180, 30200191, 30200195, 30200196, 30200197

110 wiring blocks, Model(s) OR-30200143, OR-30200144, OR-30200145, OR-30200146, OR-30200186, OR-30200194

12-port mini patch panels, Model(s) PMP5E1289, PMP5E12H, PMP61289, PMP612H

16-port voice modules, Model(s) OR-60950707

45 degree trac jacks, Model(s) 63730030-XX+, 63750030-XX+, 63760030-XX+, TJ5E00-XX+, TJ5E45-XX+, TJ5EL-XX+, TJ600-XX+, TJ645-XX+, TJ6L-XX+, TJC5E00-XX+, TJC5E00B-XX+, TJC600-XX+, TJC600B-XX+, TJS5E00

6-port modules, Model(s) 60960033-XX+, OR-60950667, OR-60960040

6-port snap-in modules, Model(s) OR-60950705, OR-60960706, OR-60960708, OR-6096A714

6-port with P.C.B.110 connectors, Model(s) 60960004-XX+, 60960031-XX+

6-port with P.C.B.110 connectors, employed in a patch panel, Model(s) 40160960004-XX+, 40160960031-XX+, 80260960031-XX+, 86260960004-XX+

8-port modules, Model(s) 60950668, 60960034-XX+, 60960041

8-port snap-in modules, Model(s) OR-60950707, OR-60960707

Adjustable dual racks, Model(s) OR-19 Series, OR-23 Series

Adjustable dual racks M6, Model(s) OR-19-XX-SSDAXXXX (X=dimensions)

Angled patch panels, Model(s) OR-PHAPJUXX (XX=ports, 24, 48 or 72), OR-SPA5EU24, OR-SPA5EU48, OR-SPA6U24, OR-SPA6U48, PHA6AU24, PHA6AU48, SPAKSU24, SPAKSU48

Base plates, Model(s) 40800018-XX+, 40800019-XX+, 41900018-XX+, 41900020-XX+, 41900021-XX+, 63650025-XX+, 63650026-XX+

Bezels with OR-60950707 & OR-60960707, Model(s) OR-70400786

Blank baseplates, Model(s) OR-40800017-XX+, OR-41900010-XX+, OR-41900017-XX+

Cabinets, Model(s) OR-100H-1200W-MC, OR-100H-300W-MC, OR-100H-600W-MC, OR-MC Series

Cable trays, Model(s) OR-2-E1-1-10WS, OR-2-E1-1-12WS, OR-2-E1-1-18WS, OR-2-E1-1-20WS, OR-2-E1-1-25WS, OR-2-E1-1-30WS, OR-2-E1-1-

5WS, OR-TR10-12X+, OR-TR10-15X, OR-TR10-18X+, OR-TR10-21X+, OR-TR10-9X+, OR-TR6-12X+, OR-TR6-15X+, OR-TR6-18X+, OR-TR6-21X+, OR-TR6-6X+, OR-TR6-9X+, OR-TRC5-10X+, OR-TRC5-12X+, OR-TRC5-15X+, OR-TRC5-18X+, OR-TRC5-20X+, OR-TRC5-24X+, OR-TRC5-5X+, OR-TRC5-6X+, OR-TRC5-9X+, OR-TRC9-10X, OR-TRC9-12X+, OR-TRC9-15X+, OR-TRC9-18X+, OR-TRC9-20X+, OR-TRC9-5X+, OR-TRC9-6X+, OR-TRC9-9X+, OR-TRCC-12X+, OR-TRCC-18X+, OR-TRCC-24X+, OR-TRCC-6X+, OR-TRCHR-12X+, OR-TRCHR-18X+, OR-TRHR-12X+, OR-TRHR-18X+, OR-TRTC-12X+, OR-TRTC-18X+, OR-TRTC-24X+, OR-TRTC-6X+

Clarity 5E blocks, Model(s) 110ABC5E050, 110ABC5E100, 110ABC5E300, 110DBC5E050, 110DBC5E100, 110DBC5E300, 30200206, 30200207, 30200208, 30200209, 30200210, 30200211

Consolidation point wiring boxes, Model(s) OR-CPB24Pa*

D-Sub miniature panels, Model(s) DFP19-16, DGP19-16, OR-DFP19-16, OR-DGP19-16

Data and cable management racks, Model(s) OR-19 Series, OR-23 Series

Digital cross connect panels, mounting indoors to 19" or 23" rack systems on the equipment side of a primary telephone protector, Model(s) DSL19-8, OR-DSL19-8, DSP-8 or OR-DSP19-8, followed by -3L or -3P, may be suffixed C designating connected

DSX19-8, -28, -32, -50, -52, -56, DSX23-8, -56, -64 or -66, preceded with prefix OR-, may be followed by -2, -2S, -3, -3F, -3L, -3LF, -3PF, -4, -4F.

Dual gang faceplates, Model(s) OR-40300271-XX+

Dual rear panel modules, Model(s) OR-DJ5E00-XX+, OR-DJ600-XX+

Dualgang faceplate, Model(s) Cat. 4 Series II

Dualgang faceplates, "GigaMo modules", Model(s) OR-60970006, OR-60970008, OR-60970009

Dualgang faceplates, Model(s) OR-6090XXXX, OR-6094XXXX, OR-60950004, OR-60950005, OR-60950008, OR-60950009, OR-60950010, OR-60950011, OR-60950012, OR-60950013, OR-60950015, OR-60950016, OR-60950032, OR-60950033 Cat. 5, OR-6124XXXX, OR-6125XXXX

Equipment racks, Model(s) 60400037, 60400037-XX (XX=black powder coat finish), 604004600

European face plates, Model(s) KSB6C

Faceplates, Model(s) 40300565-XX

Fiber cop II plates, Model(s) 62100035, 62100036, 62100037, 62100038

Fiber cop IIs, Model(s) 62100040, 62100041

Flat patch panels, Model(s) OR-PHATKSU24, OR-PHATKSU48, OR-PHPDJUXX (XX=port, 24, 48or 72), OR-PHDTKSU24, OR-PHDTKSU48, OR-PMD5EU481U, OR-PMD6U481U, OR-PMDU481U, PHD6AU24, PHD6AU48, SPKSU24, SPKSU48

furniture bezels and frames, "Innie 45 degrees Series II modules", Model(s) OR-60950047, OR-60950048, OR-60950049, OR-60950050, OR-60950051, OR-60950052, OR-60950053, OR-60950054, OR-60950096 to OR-60950131

furniture bezels and frames, Model(s) 40300633-XX+

High Density Series Adapter Kit, Model(s) HDJTJA20-xx (d)

High Density Series Blank Kit, Model(s) HDJB20-xx (e)

High Density Series Faceplates, Model(s) 403HDJ13-xx (e), 403HDJ16-xx (e)

High Density Series Furniture Adapter Bezel, Model(s) 421HDJ-xx (e)

High Density Series Jacks, Model(s) HDJ5E-xx (e), HDJ6-xx (e), HDJ6A-xx (e)

High Density Series Patch Panels, Model(s) Angled Models PHAHJUxx (f), Flat Models PHDHJUxx (f)

High Density Series Surface Mount Box, Model(s) 404HDJ4-xx (e)

IDF and MDF frame systems, Model(s) OR-410 Series, OR-420 Series, OR-430 Series

In house, USOC wired BIXIDC termination units, Model(s) OR-6123XXXX

In houses, Model(s) 42400001, 42400032, 42400034, 42500071, 42500072, 866045269, 866045270, 866045271, 866045272, 866045273, 866045382, 866045697, MDUE10, MDUE20, MDUE36

In houses, coaxial patch panels, Model(s) OR-817007052 thru OR-817007120

In houses, Innie mini-modules, Model(s) OR-40300182, OR-40300183, OR-627XXXXX

In houses, Innie mini-modules under covers, Model(s) OR-40400042, OR-40400043

In houses, printed circuit board connectors for use in telco patch panels OR-838XXXXXX, Model(s) OR-614XXXXX

Industrial boxes, Model(s) 404IP22

Industrial boxes, for indoor use within harsh dust or water environments (rated IP67), Model(s) 404IP24

Industrial jacks, Model(s) IPJ5E, IPJ6

Industrial patch cords, Model(s) IPC5EXX-00-XX (XX=length), IPC6XX-00-XX (XX=length)

Ingeni wallplates, Model(s) OR-KSFPR1-XX+, OR-KSFPR2-XX+, OR-KSFPR3-XX+, OR-KSFPR4-XX+, OR-KSFPR6-XX+

Jack assemblies, Model(s) OR-KS106SX-XX (X=port, XX=color)

Jack-paks, Model(s) JP5EV, JP66V

Keystone jacks, Model(s) OR-TKS6A, OR-TKS6A24, TKS610, TKS610A

LAN panels, Model(s) OR-TDP256-25C, OR-TDP256-32C

Mini-mod bezels, Model(s) OR-407-XXXXX

Mini-mod modules, Model(s) OR-627-XXXXX

Modular jack adapters, "Harmonica", Model(s) MJA6, MJA8 or MJA12, followed by -4, -6, -8, -8K, followed by CP or CR, followed by A, B, D, E, R or U.

OR-JPM600A, OR-JPM601A, OR-JPM602A, OR-JPM603A

Modular jack outlets, for indoor use only, Model(s) OR-I51B-0404-CW, OR-I51B-0404-TIa*

Modular jack panels, Model(s) MJP19-2, -2K, -4, -6, -8 or -8K, prefix by -OR, followed by -15, -16, -23, -24, -25, -26, -27, -28, -34, -35 or -36, followed by CP, CR or T, followed by A, B, D, E, R or U.

Modular jack panels, for indoor use only, Model(s) MJP5E-8-35TBa*, MJP5E-8-35TTa*, MJP5E-8-37TBa*, MJP5E-8-37TTa*, MJPC5-8-35TBa*, MJPC5-8-35TTa*, MJPC5-8-37TBa*, MJPC5-8-37TTa*, OR-MJP5E-8-35TBa*, OR-MJP5E-8-35TTa*, OR-MJP5E-8-37TBa*, OR-MJP5E-8-37TTa*, OR-MJPC5-8-35TBa*, OR-MJPC5-8-35TTa*, OR-MJPC5-8-37TBa*, OR-MJPC5-8-37TTa*

Multimedia outlet boxes, Model(s) 60960308-XX+, 60960309-XX+, 825XXXXX (b), 855XXXXX (b), 856XXXXXIMO (b)

Multimedia outlet boxes (MMO), Model(s) Series 851, employs 12 and 36 port cross connect and mini patch blocks. The mini patch block is comprised of OR-609 or -612 Series modules. OR-60950059, -60950060, -60950061, -60950062 six port modules in a metal enclosure. The 36 port is made up of three 12 port units mounted on a back frame.

Multimedia outlet boxes, for indoor use only, Model(s) 823XXXXX (b)

Multimedia outlet innerterconnect boxes, indoor use on data and telephone circuits, Model(s) Series 828

Multimedia outlet surface mounted boxes, indoor use on data and telephone circuits, Model(s) 40400028

Multimedia outlets, Model(s) MDU011, MDU022, OR-63600027-88

Multimedia outlets boxes (MMO), Model(s) 621XXXXX

Omni-blocks, Model(s) OR-AH Series, OR-AW Series, OR-BH Series, OR-BW Series, OR-FF Series, OR-FFB Series

Optima panels, for indoor use only, Model(s) OR-MJW21-2-37TA, OR-MJW21-2-37TB, OR-MJW21-2-37TR, OR-MJW21-2-37TU, OR-MJW21-4-37TU, OR-MJW21-6-37TU, OR-MJW21-6J-37TD, OR-MJW21-8-37TB, OR-MJW21-8K-37TB, OR-MJW21-8K-37TU, OR-MJWC5-8-37TB, OR-MJWC5-8-

37TT, OR-MJWC5-8-39TB, OR-MJWC5-8-39TT

Panel blocks, Model(s) OR-PBA Series

Patch panels, "PHD Series", Model(s) PHD5E6U24, PHD5E6U48, PHD5E6U96, PHD66U12, PHD66U24, PHD66U48, PHD66U96, PSD5E6U12, PSD5E6U24, PSD5E6U48, PSD5E6U96, PSD66U12, PSD66U24, PSD66U48, PSD66U96

Patch panels, Model(s) 401045289-XX+, 401045290-XX+, 401045291-XX+, 401045292-XX+

8620, followed by 00001 thru 04999, 44000 thru 45600, may be followed by K for keyed version 40145283 thru 401045286.

862004038-XX+, 862004836-XX+, 862004862-XX+, 862004878-XX+, 862044265-XX+, OR-854-XXXXXX, OR-PHATKS6A24, OR-PHATKS6A48+, OR-PHDTKS6A24+, OR-PHDTKS6A48+

Patch panels with ports for 24 shielded rear load panel jacks module as a set, Model(s) OR-PHDPJE1024, OR-PHDPJE524, OR-PHDPJE624, OR-PHDPJS5E24, OR-PHDPJS6A24

Patch panels with ports for shielded rear load panel jacks, Model(s) OR-PHDPJSE16, OR-PHDPJSE24

Patch panels, screwless, "PHD Series", Model(s) OR-PHD66U24

Patch panels, screwless, "PHC" Series", Model(s) OR-PHC6AU24, OR-PHC6AU48

PHA patch panels, Model(s) PHA5E6U24, PHA5E6U48, PHA610U24, PHA610U48, PHA66U24, PHA66U48

PHC patch panels, Model(s) OR-PHC5E6U24, OR-PHC5E6U48, OR-PHC66U24, OR-PHC66U48

PHD patch panels, Model(s) OR-PHD1002124, OR-PHD1002148, OR-PHD5E2124, OR-PHD5E2148, OR-PHD5E8U16, OR-PHD5E8U24, OR-PHD5E8U48, OR-PHD5E8U96, OR-PHD610U24, OR-PHD610U48, OR-PHD68U24, OR-PHD68U48, OR-PHD68U96, OR-PHDTJS24, OR-PHDTJU24

Plastic bezels, Model(s) OR-KSDSX-XX (X=port, XX=color)

Pre-terminated 6-port modules, for indoor use on a communication loop circuit that has been isolated from the Public Switched Telephone Network, Model(s) OR-60950711, OR-60950712, OR-60950713

Pre-terminated panel jacks, for indoor use on a communication loop circuit that has been isolated from the Public Switched Telephone Network, Model(s) OR-PJSN5E-XX+, OR-PJSN6-XX+, OR-PJSN6A-XX+, OR-PJSNIC-XX

Pre-terminated patch panels, for indoor use on a communication loop circuit that has been isolated from the Public Switched Telephone Network, Model(s) OR-PHASJU24, OR-PHASJU48, OR-PHDSJU24, OR-PHDSJU48, OR-PPCA5E6U24, OR-PPCA5E6U48, OR-PPCA610U24, OR-PPCA610U48, OR-PPCA66U24, OR-PPCA66U48, OR-PPCF5E6U24, OR-PPCF5E6U48, OR-PPCF610U24, OR-PPCF610U48, OR-PPCF66U24, OR-PPCF66U48

Pre-terminated tracemark modules, for indoor use on a communication loop circuit that has been isolated from the Public Switched Telephone Network, Model(s) OR-TJSN5E-XX+, OR-TJSN6-XX+, OR-TJSN6A-XX+, OR-TJSNIC-XX

Quick connect frames, Model(s) OR-110D Series, OR-250NT Series, OR-300NT Series, OR-50M Series

Rack systems, "Mighty Mo", Model(s) MM10716, MM107SVR, MM10816, MM6710, MM6710S, MM6716, MM6716S, MM67SVR, MM6810, MM6816

Rack systems, Model(s) 60400159, 60400169, 60400169-59, 60400224, 60400454, 60400454-59, 60400854, 60400854-59, 60400869, 60400869-59

Rear-load jack modules, Model(s) OR-60960709-XX+, OR-60960710-XX+, OR-PJ5E00-XX+, OR-PJ600-XX+, OR-PJ6A-XX+, OR-PJ6A00-XX +

Rear-load jack modules shielded, Model(s) OR-PJS5E, OR-PJS6, OR-PJS6A

Relays racks, Model(s) OR-19 Series, OR-23 Series

Series II 3/RCA 110 connectors, Model(s) 60900374-XX

Series II 3/RCA feed thru connectors, Model(s) 60900373-XX

Series II bezels, Model(s) 40300656-XX+

Series II clarity modules, Model(s) S215E00-XX+, S21600-XX+, S21RJ25-xx+, S21RJ61-XX+, S225E00-XX+, S22600-XX+, S22RJ25-5E-XX+, S22RJ25-XX+, S22RJ61-XX+

Series II dual surface mount boxes, Model(s) 40400049, OR-404S21U-XX, OR-404S22X2-XX

Series II faceplates, Model(s) 40300664-XX+

Series II Modules, Model(s) OR-60900375-xx, OR-60900376-xx, OR-60900377xx, OR-60900378-xx, OR-60900379-xx, OR-60900380-xx, OR-60900381-xx, OR-60900382-xx

Series II quad surface mount boxes, Model(s) 40400031, OR-404S22U-XX

Series II single surface mount boxes, Model(s) 40400050, OR-404S21U-XX

Service provider panels, Model(s) OR-MDUTSP

Single gang faceplates, Model(s) OR-40300270-XX+

Single or double gangs, Series II surface mount boxes, Model(s) OR-40300185, OR-40300186

Snap-in modules, Model(s) OR-61450005, OR-61450006

Standard equipment racks, Model(s) OR-19 Series, OR-23 Series

Surface mount boxes, Model(s) OR-40400040, OR-404S23U-XX

Surface mount boxes, for indoor use only, Model(s) 403TJUSG

Swing -E-Z wall racks, Model(s) OR-19 Series, OR-23 Series

Swing gate wall racks, Model(s) OR-MMWXX24CCY-B (XX=12U, 19U or 26U, CC=20 or 26, y=P or S)

TechChoice 6-port modules, Model(s) 60950405, 60960406

TechChoice faceplates, "Stainless steel Series", Model(s) OR-KSSS1, OR-KSSS12, OR-KSSS2, OR-KSSS3, OR-KSSS4, OR-KSSS6, OR-KSSS8

TechChoice keystone audio modules, Model(s) KSBP-XX+

TechChoice keystone blank modules, Model(s) KSB10-XX+

TechChoice keystone BNC modules, Model(s) KSBNC-XX+

TechChoice keystone F connectors, Model(s) KSFCN-XX+, KSFCNR-XX+

TechChoice keystone faceplates, Model(s) KSFP1-XX+, KSFP12-XX+, KSFP2-XX+, KSFP3-XX+, KSFP4-XX+, KSFP6-XX+, KSFP8-XX+

TechChoice keystone jacks, Model(s) OR-KS5E-XX+, OR-KS5EA-X, OR-KS6-XX+, OR-KS6A-XX+, OR-KSRJ25-XX+, OR-KSRJ25A-XX+

TechChoice keystone RCA to 110 modules, Model(s) KSRCAB-XX+, KSRCABL-XX+, KSRCAG-XX+, KSRCAR-XX+, KSRCAW-XX+, KSRCAY-XX+

TechChoice keystone surface mount boxes, Model(s) KSSMB2-XX+, KSSMB4-XX+, KSSMB6-XX+

TechChoice patch panels, Model(s) SP5EU24, SP5EU48, SP6U24, SP6U48

TechChoice S-video modules, Model(s) KSSV-XX

TECHCHOICE Series Modules, Model(s) OR-KS14ST-xx, OR-KS35ST-xx, OR-KS35STST-xx, OR-KSBNC75-xx, OR-KSHDMI-xx, OR-KSSVIDC-xx, OR-KSUSBAA-xx, OR-KSUSBAB-xx

Telecom enclosures, "Mighty Mo", Model(s) OR-MMTECSG22

Telecom enclosures for wall mounting, "Mighty Mo", Model(s) OR-MMTEWSG22-G, OR-MMTEWSG22-S

Telecom enclosures, for ceiling mounting w. Listed accessory kits, "Might Mo", Model(s) OR-MMTECFCBP fan plate/brush guard kit and/orn OR-MMTECFSP cable plate/fire stop kit.

Tracjack bezels, Model(s) 40300280-00, 40300281-00, 40300575-XX+, 40300576-XX+, 40300577-XX+, 42100054-XX+, 42100057-XX+, 42100059-XX+

Tracjack blank modules, Model(s) 42100002PS-XX+

Tracjack faceplates, "Stainless steel Series", Model(s) OR-40300453, OR-40300454, OR-40300455, OR-40300456, OR-40300457, OR-40300458, OR-40300459, OR-403STJ11, OR-403STJ12, OR-403STJ13, OR-403STJ14, OR-403STJ16, OR-403STJ212, OR-403STJ28

Tracjack faceplates, Model(s) 40300546-XX+, 40300547-XX+, 40300548-XX+, 40300549-XX+, 40300554-XX+, 40300555-XX+, 40300593-XX+, 40300594-XX+, 40300620-XX+, OR-40300570P-88, OR-40300571P-88, OR-40300572P-88, OR-40300573P-88

Tracjack modules, Model(s) 42100001-XX+, 42100002-XX+, 42100009-XX+, 637000010-XX+, 637000011-XX+, 637000012-XX+, 637000013-XX+, 637000014-XX+, 637000015-XX+, 637000016-XX+, 637000017-XX+, 637000018-XX+, 637000019-XX+, 63700001PS-XX+, 637000020-XX+, 637000021PS-XX+, 637000025-XX+, 63700003PS-XX+, 637000044-XX+, 637000046-XX+, 637000047-XX+, 63700005-XX+, 63700005PS-XX+, 63700006-XX+, 63700006PS-XX+, 637000083-XX+, 637000084-XX+, 637000085-XX+, 637000086-XX+, 637000087-XX+, 63750001PS-XX+, 63750022, 63750026

Tracjack patches, Model(s) 40104520, OR-PHDTJA24

Tracjack surface mount baosex, Model(s) 40400054-XX+, 40400055-XX+, 40400056-XX+, OR-404TJ2-XX+, OR-404TJ2X2-XX+, OR-404TJ4-XX+, OR-404TJ6-XX+

Tracjacks, "GigaMo modules", Model(s) 63760001-XX+

Tracjacks, Model(s) 63700001-XX+, 63730003-00XX+, 63730003-13XX+, 63730003-28XX+, 63730003-XX+, 63750001-00XX+, 63750001-13XX+, 63750001-21XX+, 63750001-22XX+, 63750001-23XX+, 63750001-24XX+, 63750001-25XX+, 63750001-26XX+, 63750001-27XX+, 63750001-28XX+, 63750001-88XX+, 63750001-XX+, OR-TJ5E00-XX+, OR-TJ600-XX+, OR-TJ610-XX+, OR-TJ6A-XX+, OR-TJS5E00, OR-TJS600, OR-TJS6A

Unequal flange racks, Model(s) OR-19 Series, OR-23 Series

Unitized frame systems, Model(s) OR-101 Series, OR-102 Series, OR-600 Series, OR-700 Series, OR-800 Series, OR-900 Series

Wall adapters, Model(s) OR-WPM Series

Wall mounted modules, Model(s) OR-110D Series, OR-50M Series

Wall plates, Model(s) 403IPSS11, 403IPSS12

Wire management troughs, Model(s) 15DA, followed by 4, 6, 8, followed by F, M, followed by K1T.

25DA, followed by 4, 6, 8, followed by BR, F, M, may be followed by additional suffix letters or numbers data adapters.

25DA, followed by 4, 6, 8, followed by F, FTS, M, MS, followed by K1T.

25DA8, followed by F, M, followed by FBRK., 30200139, 30200140

9DA, followed by 4, 6, 8, followed by F, M, FTS, MTS, followed by K1T.

9DA8, followed by FF, MF, followed by BRK data adaptors.

OR-2110-0001 thru OR-2110-0019, OR-2110-02432 thru OR-2110-2436, OR-40300158-XX+, OR-40300159-XX+, OR-40300164-XX+, OR-8020-00001 thru OR-8020-04079

OR-805, may be followed by 00, 0F, 0M, 0SI, 00SI, M, MF, followed by from three to ten additional suffix numbers or letters (with or without hyphens) 66 block assemblies.

OR-80600, followed by 3017 thru 3252, followed by 3253 thru 3632, followed by 3633 thru 3653, may be followed by -6FT, -8FT, -10FT, -12FT, -15FT, -M, USOC, 110 block assemblies

OR-80800, followed by 0001 thru 6353, 44001 thru 44483, followed by 44484 thru 44652, may be followed by K, USOC or WECO patch panels.

OR-8090, followed by 00001 thru 04999, 44005 thru 44480, may be followed by K or USOC (with or without hyphens) modular patch panels to 110 connectors.

OR-8110, followed by 04415 thru 044291, may be followed by USOC modular patch panels to Bix type connectors.

OR-812, may be followed by 00, 0F, 0M, followed by from six to ten additional suffix numbers or letters (with or without hyphens) modular adapters.

OR-8210, followed by 02020 thru 44475 wall plates.

Wire management troughs, 1-port modules, Model(s) OR-60900014 (c)

Wire management troughs, 2-port modules, Model(s) OR-60900015 (c)

Wire management troughs, 6-port modules, Model(s) OR-60900001, OR-60900003 (c), OR-60900004 (c), OR-60900005 (c)

Wire management troughs, 8-port modules w. P.C.B. 110 connectors, Model(s) OR-60900002 (c), OR-60900006 (c), OR-60900007 (c), OR-60900008 (c)

Wire management troughs, face plate extensions, Model(s) OR-40300010

Wire management troughs, not for connection to telephone network, Model(s) OR-60100, followed by 001 thru 007, 2124 thru 2597 baluns.

XLBET frames, Model(s) 110D-XXXX-XLBET (XXXX=frame series)

(a) - Where suffixes XX denotes multiple combinations of up to four terminations.

(b) - Where X may represent different possible combinations of connectors employed in IMO connector.

(c) - If employed in a patch panel the prefix will be 832, 839, 851, 853 or 861.

(d) - where suffix xx denotes color, the Adapter Bezel ring is used around HD jack modules for employment and better fit into TracJack Series products, panels and faceplate openings.

(e) - where suffix xx denotes color

(f) - where suffix xx may be 24, 48 or 72 denoting port count

+ - Where X or XX denotes color.

a* - Also investigated for use in air-handling spaces per UL2043.

Note - X's reflect pin out arrangements and other nonessential variables such as color, lead length and type of wiring. All products may be preceded with prefix OR-, if not already shown.

Trademark and/or Tradename: "legrand"

Last Updated on 2012-01-25

[Questions?](#)

[Print this page](#)

[Notice of Disclaimer](#)

[Page Top](#)

© 2012 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2012 UL LLC".